TANDEM DISC – MODEL 614NT

26" X 5/16" Smooth Blades on 10" Spacing (In Base)



STANDARD EQUIPMENT

FRAME
- 4" x 8" Tubular frame
- Level Linkage system
- Hitch jack
- Transport lock
- Tandems on center frames and on units with wings

WING GAUGE WHEELS
- Caster gauge wheels 9.5L x 15 8-Ply on units 26' 10" & larger

SAFETY EQUIPMENT
- Safety chain
- Transport warning light package

GANGS
- 5/16"x26" smooth blades
- 10" blade spacing
- 1-15/16" gang shaft
- 214 Series relube bearings
- Fixed gang angle of 20° front & 18° rear
- Wil-Flex "C" spring gangs
- Gang bolt wrench
- Solid mount single scrapers

HYDRAULICS
- Hydraulic cylinders complete with hoses and hardware to tractor
- Pioneer couplers
- Hydraulic hose carrier

TIRES
- 385/65R 22.50 used tires on all models

GROUP 1 (REQUIRED) BASE UNIT

MODEL 614NT 26" X 5/16" PLAIN BLADES / WIL-FLEX CUSHION GANG

ORDER NUMBER	QTY	MODEL NUMBER	CUTTIING WIDTH	NO. OF BEARINGS	NO. OF BLADES	AXLE	TRANSPORT WIDTH	TRANSPORT HEIGHT	WEIGHT (LBS) PER BLADE	WEIGHT (LBS) PER FOOT	APPROX WT. (LBS)	SUGGESTED LIST PRICE USD
242751	1	614NT-24 WING	23' 8"	10F, 10R	28F, 30R	Tandem	15' 0"	11' 3"	349	856	20257	$ 64,300.00
242752	1	614NT-27 WING	26' 10"	10F, 12R	32F, 34R	Tandem	15' 0"	12' 10"	328	808	21674	$ 70,860.00
242753	1	614NT-30 WING	30' 0"	12F, 12R	36F, 38R	Tandem	17' 6"	12' 10"	329	811	24337	$ 78,575.00
242754	1	614NT-33 WING	33' 2"	14F, 12R	40F, 42R	Tandem	17' 6"	14' 5"	326	805	26705	$ 81,800.00
242755	1	614NT-36 WING	36' 4"	14F, 14R	44F, 46R	Tandem	17' 6"	16' 0"	305	755	27443	$ 89,375.00

OPTIONAL ATTACHMENTS

ORDER NUMBER	QTY.	DESCRIPTION	APPROX. WT. (lbs.)	SUGGESTED LIST PRICE USD (Ea.)
SCRAPER OPTIONS				
W108572	1	LH Scraper to clean Spool & Blade	8	$ 25.00 ILOS
W108571	1	RH Scraper to clean Spool & Blade	8	$ 25.00 ILOS
MISCELLANEOUS OPTIONS				
243470	1	Rear Hitch	454	$ 1,052.00
238778	1	Rear Hydraulic Extension Package	24	$ 390.00
236099	1	Safety Light Extension	3	$ 170.00
247532	1	Hydraulic Leveler - ILOS *(Factory installed only)*	286	$ 1,060.00 ILOS
244654	1	Single Point Depth Control (Serial No. 460200 – UP)	49	$ 576.00
246954	1	Single Point Depth Control (Serial No. 460199 – Down)	48	$ 585.00

(Coil Tine Harrow Attachment on Next Page)

TANDEM DISC – MODEL 614NT (Cont.)

HARROW
- 3-bar design
- 12 in. between tooth bars
- Tubular tooth bars
- 5 tine angle adjustment
- Harrows width 4-ft., 6 ft. and 8 ft.
- Tines swing forward when backing up

TINES
- Double coil tines with three coils
  - 5/8 in. diameter spring wire by 26 in. long and 12 in. spacing between tines
  - Tine spacing pattern of 4 in.

MOUNTING ARMS
- Mounting arm 3 x 4 in. tubing
- Four leveling adjustments



MODEL 614NT

ORDER NUMBER	QTY	MODEL NUMBER	OVERLAP EA. SIDE	HARROW SIZE 4' 0"	HARROW SIZE 6' 0'	HARROW SIZE 8' 0"	12' TINE EXTENSION	MOUNT ARM	APPROX WT. (LBS)	SUGGESTED LIST PRICE USD
243465	1	3HAWD 24 FT	2"	—	4	—	—	7	2190	$ 7,335.00
243466	1	3HAWD 27 FT	7"	—	2	2	—	7	2357	$ 7,663.00
243467	1	3HAWD 30 FT	0"	—	1	3	—	7	2441	$ 7,827.00
243468	1	3HAWD 33 FT	17"	—	6	—	—	9	3113	$ 10,155.00
243469	1	3HAWD 36 FT	10"	—	5	1	—	9	3197	$ 10,319.00

ALL PRICES SHOWN ARE F.O.B. WAHPETON, NORTH DAKOTA
WIL-RICH *RESERVES THE RIGHT TO CHANGE PRICES AND SPECIFICATIONS WITHOUT NOTICE.*
Printed in USA

Wishek
17885 Hwy 13, Wahpeton, ND 58075 (800) 688-3300 www.wishekmfg.com

TANDEM DISC – MODEL 714NT, 714NTC & 742NT

24" X 5/16" Plain Blades on 10" Spacing (In Base)

24" Notched and 26" Plain or 26" Notched (Optional)

STANDARD EQUIPMENT

FRAME
- 4" x 8" x 3/8" Tubular frame
- Hitch jack
- Leveling linkage system

HYDRAULICS
- Hydraulic cylinders with hoses to tractor

TIRES
- 8-Bolt hubs (10' thru 30')
- 10-Bolt hubs (34' thru 38') main frames only
- 12.5L x 15 tires on non-winged units
- *(used)* 385/65R 22.50 tires on Winged units

SAFETY EQUIPMENT
- Safety chain
- Transport warning light package

GANGS
- 24" x 5/16" plain blades
- 10" blade spacing
- 1-15/16" gang shafts
- Gang angle adjustment
- 214 series re-lube gang bearings
- Rigid gang (714NT series)
- "C"-Flex cushion gangs (714NTC series)
- Spring cushion gangs (742NT series)
- Gang bolt wrench
- Solid mount single scrapers
- Total of 6 leveling blades



Model 714NT shown

ONE ORDER NUMBER REQUIRED FROM EACH GROUP 1 THROUGH 2

GROUP 1 (REQUIRED) BASE UNIT

MODEL 714NT 24" X 5/16" PLAIN BLADES / RIGID BEARING GANG

ORDER NUMBER	QTY	MODEL NUMBER	CUTTIING WIDTH	NO. OF BEARINGS	NO. OF BLADES	AXLE	TRANSPORT WIDTH	TRANSPORT HEIGHT	WEIGHT (LBS) PER BLADE	WEIGHT (LBS) PER FOOT	APPROX WT. (LBS)	SUGGESTED LIST PRICE USD
355858	1	714NT-12	12' 1"	6F, 6R	14F, 16R	Tandem	11' 11"	7' 0"	307	773	9208	$ 32,500.00
355859	1	714NT-14	13' 8"	6F, 6R	16F, 18R	Tandem	16' 6"	7' 0"	305	767	101357	$ 35,100.00
355860	1	714NT-16	15' 3"	6F, 6R	18F, 20R	Tandem	18' 1"	7' 0"	303	759	11505	$ 36,925.00
355861	1	714NT-18	16' 6"	8F, 8R	20F, 22R	Tandem	19' 8"	7, 0"	301	756	12661	$ 38,100.00
355862	1	714NT-24	24' 9"	12F, 10R	30F, 32R	Tandem	14' 7"	11' 6"	418	1061	25900	$ 69,800.00
355863	1	714NT-26	26' 4"	14F, 12R	32F, 34R	Tandem	14' 7"	13' 4"	420	1060	27728	$ 70,800.00
355864	1	714NT-30	29' 6"	14F, 14R	36F, 38R	Tandem	14' 10"	15' 10"	377	952	27930	$ 84,425.00
355864	1	714LNT-34	34' 3"	18F, 16R	42F, 44R	Tandem	16' 0"	15' 9"	395	993	34010	$ 94,100.00
355866	1	714LNT-38	37' 5"	18F, 18R	46F, 48R	Tandem	16' 0"	17' 9"	417	1067	40000	$ 98,700.00

MODEL 714NTC 24" X 5/16" PLAIN BLADES / "C" - FLEX CUSHION GANG

ORDER NUMBER	QTY	MODEL NUMBER	CUTTIING WIDTH	NO. OF BEARINGS	NO. OF BLADES	AXLE	TRANSPORT WIDTH	TRANSPORT HEIGHT	WEIGHT (LBS) PER BLADE	WEIGHT (LBS) PER FOOT	APPROX WT. (LBS)	SUGGESTED LIST PRICE USD
355867	1	714NTC-12	12' 1"	6F, 6R	14F, 16R	Tandem	14' 11"	7' 0"	309	779	9280	$ 33,500.00
355868	1	714NTC-14	13' 8"	6F, 6R	16F, 18R	Tandem	16' 6"	7' 0"	307	773	10429	$ 36,100.00
355869	1	714NTC-16	15' 3"	6F, 6R	18F, 20R	Tandem	18' 1"	7' 0"	305	763	11577	$ 37,925.00
355870	1	714NTC-18	16' 10"	8F, 8R	20F, 22R	Tandem	19' 8"	7, 0"	304	762	12757	$ 39,100.00
355871	1	714NTC-24	24' 9"	12F, 10R	30F, 32R	Tandem	14' 7"	13' 6"	432	1082	26800	$ 70,900.00
355872	1	714NTC-26	26' 4"	14F, 12R	32F, 34R	Tandem	14' 7"	13' 4"	422	1065	27860	$ 71,900.00
355873	1	714NTC-30	29' 6"	14F, 14R	36F, 38R	Tandem	14' 10"	15' 10"	380	957	28086	$ 85,725.00
355874	1	714LNTC-34	34' 3"	18F, 16R	42F, 44R	Tandem	16' 0"	15' 9"	399	999	34300	$ 95,400.00
355875	1	714LNTC-38	37' 5"	18F, 18R	46F, 48R	Tandem	16' 0"	17' 9"	430	1077	40400	$ 100,000.00

TANDEM DISC – MODEL 714NT, 714NTC & 742NT (Cont.)

MODEL 742NT 24" X 5/16" PLAIN BLADES / SPRING CUSHION GANG

ORDER NUMBER	QTY	MODEL NUMBER	CUTTIING WIDTH	NO. OF BEARINGS	NO. OF BLADES	AXLE	TRANSPORT WIDTH	TRANSPORT HEIGHT	WEIGHT (LBS) PER BLADE	WEIGHT (LBS) PER FOOT	APPROX WT. (LBS)	SUGGESTED LIST PRICE USD
355850	1	742NT-12	12' 1"	6F, 6R	14F, 16R	Tandem	14' 11"	7' 0"	364	915	10908	$ 35,500.00
355851	1	742NT-14	13' 8"	6F, 6R	16F, 18R	Tandem	16' 6"	7' 0"	355	893	12057	$ 40,780.00
355852	1	742NT-16	15' 3"	8F, 6R	18F, 20R	Tandem	18' 1"	7' 0"	340	850	12950	$ 42,225.00
355853	1	742NT-24	24' 9"	12F, 10R	30F, 32R	Tandem	14' 10"	12' 8"	405	1028	25112	$ 83,640.00
355854	1	742NT-26	26' 4"	12F, 12R	32F, 34R	Tandem	14' 10"	14' 2"	405	1020	26701	$ 86,025.00
355855	1	742NT-30	29' 6"	14F, 12R	36F, 38R	Tandem	17' 2"	15' 10"	448	1068	31330	$ 93,925.00
355856	1	742LNT-34	34' 3"	18F, 16R	42F, 44R	Tandem	16' 0"	16' 10"	451	1139	37014	$ 111,225.00
355857	1	742LNT-38	37' 5"	20', 18R	46F, 48R	Tandem	16' 0"	18' 4"	423	1059	38025	$ 117,215.00

GROUP 2 (REQUIRED) BLADE SELECTION FOR BASE UNIT

ORDER NUMBER	QTY	DESCRIPTION	APPROX WT. (LBS)	SUGGESTED LIST PRICE USD EA. BLADE
516-24	1	Blade 24 x 5/16 Plain	39.7	IN BASE
107770	1	Blade 24 x 5/16 Notched	35.0	$ 13.00 ILOS
107771	1	Blade 26 x 5/16 Plain	45.0	$ 27.00 ILOS
107772	1	Blade 26 x 5/16 Notched	40.0	$ 41.00 ILOS

OPTIONAL ATTACHMENTS

ORDER NUMBER	QTY.	DESCRIPTION	APPROX. WT. (lbs.)	USD SUGGESTED LIST PRICE (Ea.)
SCRAPER OPTIONS				
107444-10R	1	Scraper RH for Bearing Standard	25	$ 59.00 ILOS
107444-10L	1	Scraper LH for Bearing Standard	25	$ 59.00 ILOS
108571	1	Scraper RH to clean Spool & Blade	8	$ 25.00 ILOS
108572	1	Scraper LH to clean Spool & Blade	8	$ 25.00 ILOS
BEARING OPTIONS				
357470	1	Guard, Bearing (one for each bearing)	8	$ 36.00
104884	1	Washer, Bearing Guard (two for each bearing)	0.41	$ 3.00
MISCELLANEOUS OPTIONS				
244654	1	Single Point Depth Control	45	$ 576.00
356740	1	Hydraulic Leveler (non-folding tandem) - ILOS *(Factory installed only)*	85	$ 987.00
356738	1	Hydraulic Leveler (folding tandem) - ILOS *(Factory installed only)*	85	$ 987.00
350194	1	Rear Hitch – Rigid Cat (12'—18' models) for 1" Dia. Pin	112	$ 440.00
350195	1	Rear Hitch – Rigid Clevis (12'—18' models) for 1" Dia. Pin	129	$ 440.00
350192	1	Rear Hitch – Rigid Cat (24'—38' models) for 1" Dia. Pin	120	$ 440.00
350193	1	Rear Hitch – Rigid Clevis (24'—38' models) for 1" Dia. Pin	137	$ 440.00
238778	1	Rear Hydraulic Extension Package (18' & smaller)	27	$ 390.00
247597	1	Rear Hydraulic Extension Package (20' & larger)	50	$ 390.00
236099	1	Safety Light Extension	3	$ 170.00
10-Bolt HUB OPTION for 26 & 30 Ft. models *(use on Main Frames Only)*				
351707	1	10-Bolt Hub — Set of 4 (ILOS of 8-Bolt)		$ 2,020.00 ILOS

(Harrow/Basket Attachment on Next Page)

ALL PRICES SHOWN ARE F.O.B. WAHPETON, NORTH DAKOTA
WIL-RICH *RESERVES THE RIGHT TO CHANGE PRICES AND SPECIFICATIONS WITHOUT NOTICE.*

Printed in USA

TANDEM DISC – MODEL 714NT, 714NTC & 742NT (Cont.)

3-BAR COIL TINE HARROW

HARROW
- 3-bar design
- 12 in. between tooth bars
- Tubular tooth bars
- 5 tine angle adjustment
- Harrows width 4-ft., 6 ft. and 8 ft.
- Tines swing forward when backing up

TINES
- Double coil tines with three coils
  - 5/8 in. diameter spring wire by 26 in. long and 12 in. spacing between tines
  - Tine spacing pattern of 4 in.

MOUNTING ARMS
- Mounting arm 3 x 4 in. tubing
- Four leveling adjustments



ORDER NUMBER	QTY	MODEL NUMBER	OVERLAP EA. SIDE	HARROW SIZE 4' 0"	HARROW SIZE 6' 0'	HARROW SIZE 8' 0"	12' TINE EXTENSION	MOUNT ARM	APPROX WT. (LBS)	SUGGESTED LIST PRICE USD
N/A	1	3HAWD 12FT	—	—	—	—	—	—	—	N/A
245875	1	3HAWD 14 FT	10.5"	—	—	2	—	2	1264	$ 3,944.00
245876	1	3HAWD 16 FT	13.0"	—	3	—	—	2	1500	$ 4,747.00
245877	1	3HAWD 18 FT	15.5"	—	2	1	—	4	1703	$ 5,302.00
245878	1	3HAWD 22 FT	11.0"	—	—	3	—	6	2245	$ 7,082.00
245879	1	3HAWD 24 FT	4.0"	1	1	2	—	6	2384	$ 7,815.00
245880	1	3HAWD 26 FT	6.5"	—	2	2	—	6	2453	$ 7,832.00
245881	1	3HAWD 30 FT	9.0"	—	1	3	—	6	2653	$ 8,830.00
245882	1	3HAWD 34 FT	12.5"	—	6	—	—	8	3210	$ 11,201.00
245884	1	3HAWD 38 FT	5.0"	—	5	1	—	8	3461	$ 11,688.00

2-BAR COIL TINE HARROW with FLAT BAR BASKET

HARROW
- 2-bar design
- 12 in. between tooth bars
- Tubular tooth bars
- 5 tine angle adjustment
- Harrows width 4-ft., 6 ft. and 8 ft.
- Tines swing forward when backing up

TINES
- Double coil tines with three coils
  - 5/8 in. diameter spring wire by 26 in. long and 12 in. spacing between tines

MOUNTING ARMS
- Mounting arm 3 x 4 in. tubing
- Four leveling adjustments

FLAT BAR BASKET
- 8 blades 1/4"x1-1/4" flat bar
- 13" diameter basket
- Triple lip sealed flanged bearings with lube fitting
- Basket width 4-1/2 ft., 6 ft. and 7-1/2 ft.



ORDER NUMBER	QTY	MODEL NUMBER	OVERLAP EA. SIDE	HARROW SIZE 4' 0"	HARROW SIZE 6' 0'	HARROW SIZE 8' 0"	12' TINE EXTENSION	MOUNT ARM	APPROX WT. (LBS)	SUGGESTED LIST PRICE USD
246305	1	2HAHD/FB 12 FT	8.0"	—	1	1	—	2	1376	$ 5,251.00
246306	1	2HAHD/FB 14 FT	10.5"	—	—	2	—	2	1475	$ 5,528.00
246307	1	2HAHD/FB 16 FT	13.0"	—	3	—	—	2	1824	$ 7,236.00
246308	1	2HAHD/FB 18 FT	15.5"	—	2	1	—	4	2020	$ 7,879.00
246309	1	2HAHD/FB 22 FT	11.0"	—	—	3	—	6	2724	$ 10,408.00
246310	1	2HAHD/FB 24 FT	4.0"	1	1	2	—	6	2989	$ 11,850.00
246311	1	2HAHD/FB 26 FT	6.5"	—	2	2	—	6	3068	$ 11,989.00
246312	1	2HAHD/FB 30 FT	9.0"	—	1	3	—	6	3299	$ 12,645.00
246313	1	2HAHD/FB 34 FT	12.5"	—	6	—	—	8	4110	$ 16,400.00
246315	1	2HAHD/FB 38 FT	5.0"'	—	5	1	—	8	4407	$ 17,347.00

This page was intentionally left blank

ALL PRICES SHOWN ARE F.O.B. WAHPETON, NORTH DAKOTA
WIL-RICH *RESERVES THE RIGHT TO CHANGE PRICES AND SPECIFICATIONS WITHOUT NOTICE.*
Printed in USA

Wishek
17885 Hwy 13, Wahpeton, ND 58075 (800) 688-3300 www.wishekmfg.com

TANDEM DISC – MODEL 814NT and 842NT

28" X 5/16" Plain Blades on 11" Spacing (In Base)

28" Notched and 30" Plain or 30" Notched Blades (Optional)

STANDARD EQUIPMENT

FRAME
- 4" x 8" x 3/8" Tubular frame
- Hitch jack
- Leveling linkage crank
- Hitch cat 4

HYDRAULICS
- Hydraulic cylinders with hoses to tractor

TIRES
- 8-Bolt hubs (14' thru 30')
- 10-Bolt hubs (34' thru 38') main frames only
- 12.5L x 15 tires on non-winged units
- *(used)* 385/65R 22.50 tires on Winged units

SAFETY EQUIPMENT
- Safety chain
- Transport warning light package

GANGS
- 28" x 5/16" plain blades
- 11" blade spacing
- 1-15/16" gang shafts
- 214 series re-lube gang bearings
- Gang angle adjustment
- Rigid gang (814NT series)
- Spring cushion gangs (842NT series)
- Gang bolt wrench
- Solid mount single scrapers
- Total of 6 leveling blades

Model 842NT shown

ONE ORDER NUMBER REQUIRED FROM EACH GROUP 1 THROUGH 2

GROUP 1 (REQUIRED) BASE UNIT

MODEL 814NT 28" X 5/16" PLAIN BLADES / RIGID BEARING GANG

ORDER NUMBER	QTY	MODEL NUMBER	CUTTIING WIDTH	NO. OF BEARINGS	NO. OF BLADES	AXLE	TRANSPORT WIDTH	TRANSPORT HEIGHT	WEIGHT (LBS) PER BLADE	WEIGHT (LBS) PER FOOT	APPROX WT. (LBS)	SUGGESTED LIST PRICE USD
356712	1	814NT-14	14' 2"	6F, 6R	14F, 16R	Tandem	16' 4"	7' 0"	390	825	11719	$ 35,100.00
356713	1	814NT-16	15' 10"	6F, 6R	16F, 18R	Tandem	18' 1"	7' 0"	366	788	12464	$ 36,925.00
109116	1	814NT-18	17' 7"	8F, 8R	18F, 20R	Tandem	19' 10"	7' 0"	337	729	12819	$ 38,100.00
356264	1	814NT-22	22' 10"	12F, 10R	24F, 26R	Tandem	13' 6"	12', 10"	477	1045	23825	$ 72,725.00
245482	1	814NT-24 WING	24' 7"	10F, 10R	26F, 28R	Tandem	13' 6"	13' 6"	443	973	23912	$ 69,800.00
244661	1	814NT-26 WING	26' 4"	12F, 10R	28F, 30R	Tandem	13' 6"	14' 2"	420	925	24351	$ 70,800.00
245727	1	814NT-30 WING	29' 9"	12F, 12R	32F, 34R	Tandem	14' 8"	15' 10"	407	902	26837	$ 84,425.00
350812	1	814LNT-34 WING	33' 3"	14F, 14R	36F, 38R	Tandem	15' 10"	15' 9"	416	926	30787	$ 94,100.00
350813	1	814LNT-38 WING	38' 6"	16F, 16R	42F, 44R	Tandem	15' 10"	17' 9"	385	861	33131	$ 98,700.00

MODEL 842NT 28" X 5/16" PLAIN BLADES / SPRING CUSHION GANG

ORDER NUMBER	QTY	MODEL NUMBER	CUTTIING WIDTH	NO. OF BEARINGS	NO. OF BLADES	AXLE	TRANSPORT WIDTH	TRANSPORT HEIGHT	WEIGHT (LBS) PER BLADE	WEIGHT (LBS) PER FOOT	APPROX WT. (LBS)	SUGGESTED LIST PRICE USD
245441	1	842NT-14	14' 2"	6F, 6R	14F, 16R	Tandem	15' 10"	7' 0"	440	931	13185	$ 40,780.00
245454	1	842NT-16	15' 10"	6F, 6R	16F, 18R	Tandem	17' 10"	7' 0"	415	890	14095	$ 42,225.00
108984	1	842NT-22 WING	22' 10"	12F, 10R	24F, 26R	Tandem	13' 11"	12' 10"	545	1193	27235	$ 82,340.00
245463	1	842NT-24 WING	24' 7"	12F, 10R	26F, 28R	Tandem	13' 11"	13', 6"	516	1133	27841	$ 83,640.00
243274	1	842NT-26 WING	26' 4"	12F, 12R	28F, 30R	Tandem	14' 10"	14' 2"	500	1102	29023	$ 86,025.00
242961	1	842NT-30 WING	29' 9"	14F, 14R	32F, 34R	Tandem	17' 2"	15' 6"	477	1058	31482	$ 93,925.00
245403	1	842LNT-34 WING	33' 3"	16F, 18R	36F, 38R	Tandem	15' 10"	15' 9"	510	1135	37736	$ 111,225.00
245190	1	842LNT-38 WING	38' 6"	18F, 20R	42F, 44R	Tandem	15' 10"	17' 9"	540	1151	44300	$ 117,215.00

TANDEM DISC – MODEL 814NT and 842NT (Cont.)

GROUP 2 (REQUIRED) BLADE SELECTION FOR BASE UNIT

ORDER NUMBER	QTY	DESCRIPTION	APPROX WT. (LBS)	SUGGESTED LIST PRICE USD EA. BLADE
106075	1	Blade 28 x 5/16 Plain	57.9	IN BASE
107773	1	Blade 28 x 5/16 Notched	52.7	$ 13.00 ILOS
107774	1	Blade 30 x 5/16 Plain	65.8	$ 27.00 ILOS
107775	1	Blade 30 x 5/16 Notched	60.5	$ 41.00 ILOS

TIRE OPTION (ILOS)

TIRE GROUP (ILOS) 22 FT THROUGH 30 FT

ORDER NUMBER	QTY	DESCRIPTION	APPROX WT. (LBS)	SUGGESTED LIST PRICE USD EA. BLADE
IN BASE	1	Tire & Rim (8) (USED) 385/65 R22.5	2048	IN BASE
354534	1	Tire & Rim (8) (NEW) VF385/65 R22.5 (ILOS)	2224	$ 4,590.00 ILOS

TIRE GROUP (ILOS) 34 FT THROUGH 38 FT

ORDER NUMBER	QTY	DESCRIPTION	APPROX WT. (LBS)	SUGGESTED LIST PRICE USD EA. BLADE
IN BASE	1	Tire & Rim (4) (USED) 385/65 R22.5 10-Bolt & (4) (USED) 385/65 R22.5 8-Bolt	2048	IN BASE
354535	1	Tire & Rim (4) (NEW) VF385/65 R22.5 10-Bolt & (4) NEW) VF 385/65 R22.5 8-Bolt (ILOS)	2224	$ 4,590.00 ILOS

OPTIONAL ATTACHMENTS

ORDER NUMBER	QTY.	DESCRIPTION	APPROX. WT. (lbs.)	USD SUGGESTED LIST PRICE (Ea.)
SCRAPER OPTIONS				
107444-11R	1	Scraper RH for Bearing Standard for 11 inch spacing	23	$ 63.00 ILOS
107444-11L	1	Scraper LH for Bearing Standard for 11 inch spacing	23	$ 63.00 ILOS
108571	1	Scraper RH to clean Spool & Blade	8	$ 25.00 ILOS
108572	1	Scraper LH to clean Spool & Blade	8	$ 25.00 ILOS
352359	1	Scraper , Rotary LH *(Not for Leveling Blades)*	9	$ 132.00 ILOS
352360	1	Scraper , Rotary RH *(Not for Leveling Blades)*	9	$ 132.00 ILOS
BEARING OPTIONS				
357470	1	Guard, Bearing (one required for each bearing)	8	$ 36.00
104884	1	Washer, Bearing Guard (two required for each bearing)	0.41	$ 3.00
MISCELLANEOUS OPTIONS				
244654	1	Single Point Depth Control	49	$ 576.00
354554	1	Cat Hitch — Cat V for 2-3/4" diameter pin (ILOS)	Add 36	$ 102.00 ILOS
356740	1	Hydraulic Leveler (non-folding tandem) - ILOS *(Factory installed only)*	85	$ 987.00
356738	1	Hydraulic Leveler (folding tandem) - ILOS *(Factory installed only)*	85	$ 987.00
350194	1	Rear Hitch – Rigid Cat (12'—18' models) for 1" Dia. Pin	112	$ 440.00
350195	1	Rear Hitch – Rigid Clevis (12'—18' models) for 1" Dia. Pin	129	$ 440.00
350192	1	Rear Hitch – Rigid Cat (22'—38' models) for 1" Dia. Pin	120	$ 440.00
350193	1	Rear Hitch – Rigid Clevis (22'—38' models) for 1" Dia. Pin	137	$ 440.00
238778	1	Rear Hydraulic Extension Package (18' & smaller)	27	$ 390.00
247597	1	Rear Hydraulic Extension Package (20' & larger)	50	$ 390.00
236099	1	Safety Light Extension	3	$ 170.00
10-Bolt HUB OPTION for Model 842NT 26 & 30 Ft. *(use on Main Frames Only)*				
351707	1	10-Bolt Hub — (USED) 385/65 R22.5 Set of 4 (ILOS of 8-Bolt)	Add 256	$ 2,020.00 ILOS
354542	1	10-Bolt Hub — (NEW) VF385/65 R22.5 Set of 4 (ILOS of 8-Bolt)	Add 344	$ 4,049.00 ILOS
10-Bolt HUB OPTION for Model 814NT 34 & 38 Ft. *(use on Wings Only)*				
356746	1	10-Bolt Hub— (Used 385/65 RR22.5 Set of 4 (ILOS of 8-Bolt)	Add 256	$ 2,020.00 ILOS
10-Bolt HUB OPTION for Model 842NT 34 & 38 Ft. *(use on Wings Only)*				
356745	1	10-Bolt Hub— (USED) 385/65 R22.5 Set of 4 (ILOS of 8-Bolt)	Add 256	$ 2,020.00 ILOS

ALL PRICES SHOWN ARE F.O.B. WAHPETON, NORTH DAKOTA
WIL-RICH *RESERVES THE RIGHT TO CHANGE PRICES AND SPECIFICATIONS WITHOUT NOTICE.*

TANDEM DISC – MODEL 814NT & 842NT (Cont.)

3-BAR COIL TINE HARROW

HARROW
- 3-bar design
- 12 in. between tooth bars
- Tubular tooth bars
- 5 tine angle adjustment
- Harrows width 4-ft., 6 ft. and 8 ft.
- Tines swing forward when backing up

TINES
- Double coil tines with three coils
  - 5/8 in. diameter spring wire by 26 in. long and 12 in. spacing between tines
  - Tine spacing pattern of 4 in.

MOUNTING ARMS
- Mounting arm 3 x 4 in. tubing
- Four leveling adjustments



ORDER NUMBER	QTY	MODEL NUMBER	OVERLAP EA. SIDE	HARROW SIZE 4' 0"	HARROW SIZE 6' 0'	HARROW SIZE 8' 0"	12' TINE EXTENSION	MOUNT ARM	APPROX WT. (LBS)	SUGGESTED LIST PRICE USD
245875	1	3HAWD 14 FT	11.0"	—	—	2	—	2	1264	$ 3,944.00
245876	1	3HAWD 16 FT	13.0"	—	3	—	—	3	1500	$ 4,747.00
245877	1	3HAWD 18 FT	14.5"	—	2	1	—	4	1703	$ 5,302.00
245878	1	3HAWD 22 FT	7.0"	—	—	3	—	6	2245	$ 7,082.00
245879	1	3HAWD 24 FT	8.5"	1	1	2	—	6	2384	$ 7,815.00
245880	1	3HAWD 26 FT	10.0"	—	2	2	—	6	2453	$ 7,832.00
245881	1	3HAWD 30 FT	13.5"	—	—	4	—	6	2653	$ 8,830.00
245882	1	3HAWD 34 FT	16.5"	—	6	—	—	9	3210	$ 11,201.00
245884	1	3HAWD 38 FT	21.0"	—	3	1	—	9	3461	$ 11,688.00

2-BAR COIL TINE HARROW with FLAT BAR BASKET

HARROW
- 2-bar design
- 12 in. between tooth bars
- Tubular tooth bars
- 5 tine angle adjustment
- Harrows width 4-ft., 6 ft. and 8 ft.
- Tines swing forward when backing up

TINES
- Double coil tines with three coils
  - 5/8 in. diameter spring wire by 26 in. long and 12 in. spacing between tines
  - Tine spacing pattern of 6 in.

MOUNTING ARMS
- Mounting arm 3 x 4 in. tubing
- Four leveling adjustments

FLAT BAR BASKET
- 8 blades 1/4"x1-1/4" flat bar
- 13" diameter basket
- Triple lip sealed flanged bearings with lube fitting
- Basket width 4-1/2 ft., 6 ft. and 7-1/2 ft.



ORDER NUMBER	QTY	MODEL NUMBER	OVERLAP EA. SIDE	HARROW SIZE 4' 0"	HARROW SIZE 6' 0'	HARROW SIZE 8' 0"	12' TINE EXTENSION	MOUNT ARM	APPROX WT. (LBS)	SUGGESTED LIST PRICE USD
246306	1	2HAHD/FB 14 FT	11.0"	—	—	2	—	2	1475	$ 5,528.00
246307	1	2HAHD/FB 16 FT	13.0"	—	3	—	—	3	1824	$ 7,236.00
246308	1	2HAHD/FB 18 FT	14.5"	—	2	1	—	4	2020	$ 7,879.00
246309	1	2HAHD/FB 22 FT	7.0"	—	—	3	—	6	2724	$ 10,408.00
246310	1	2HAHD/FB 24 FT	8.5"	1	1	2	—	6	2989	$ 11,850.00
246311	1	2HAHD/FB 26 FT	10.0"	—	2	2	—	6	3068	$ 11,989.00
246312	1	2HAHD/FB 30 FT	13.5	—	—	4	—	6	3299	$ 12,645.00
246313	1	2HAHD/FB 34 FT	16.5"	—	6	—	—	9	4110	$ 16,400.00
246315	1	2HAHD/FB 38 FT	21.0"'	—	3	3	—	9	4407	$ 17,347.00

This page was intentionally left blank

ALL PRICES SHOWN ARE F.O.B. WAHPETON, NORTH DAKOTA
WIL-RICH *RESERVES THE RIGHT TO CHANGE PRICES AND SPECIFICATIONS WITHOUT NOTICE.*
Printed in USA

Wishek
17885 Hwy 13, Wahpeton, ND 58075 (800) 688-3300 www.wishekmfg.com

TANDEM DISC – MODEL 816NT & 862NT

30" X 5/16" Plain Blades on 13" Spacing (In Base)

30" x 5/16" Notched Blades (Optional)

STANDARD EQUIPMENT

FRAME
- 4" x 8" x 3/8" Tubular frame
- Hitch jack
- Leveling linkage system

HYDRAULICS
- Hydraulic cylinders with hoses to tractor

TIRES
- 8-Bolt hubs (14' thru 30')
- 10-Bolt hubs (34' thru 38') main frames only
- 12.5L x 15 tires on non-winged units
- ***(used)*** 385/65R 22.50 tires on Winged units

SAFETY EQUIPMENT
- Safety chain
- Transport warning light package

GANGS
- 30" x 5/16" plain blades
- 13" blade spacing
- 1-15/16" gang shafts
- 214 series re-lube gang bearings
- Gang angle adjustment
- Rigid gang (816NT series)
- Spring cushion gangs (862NT series)
- Gang bolt wrench
- Solid mount single scrapers
- Total of 6 leveling blades

Model 862NT shown

ONE ORDER NUMBER REQUIRED FROM EACH GROUP 1 THROUGH 2

GROUP 1 (REQUIRED) BASE UNIT

MODEL 816NT 30" X 5/16" PLAIN BLADES / RIGID BEARING GANG

ORDER NUMBER	QTY	MODEL NUMBER	CUTTIING WIDTH	NO. OF BEARINGS	NO. OF BLADES	AXLE	TRANSPORT WIDTH	TRANSPORT HEIGHT	WEIGHT (LBS) PER BLADE	WEIGHT (LBS) PER FOOT	APPROX WT. (LBS)	SUGGESTED LIST PRICE USD
245734	1	816NT-14	14' 4"	6F, 6R	12F, 14R	Tandem	15' 11"	7' 0"	431	782	11212	$ 35,100.00
245740	1	816NT-16	16' 4"	6F, 6R	14F, 16R	Tandem	18' 5"	7' 0"	393	722	11973	$ 36,925.00
243281	1	816NT-22 WING	22' 6"	8F, 10R	20F, 22R	Tandem	12' 6"	12' 10"	537	1003	22560	$ 72,725.00
243722	1	816NT-30 WING	30' 9"	14F, 12R	28F, 30R	Tandem	14' 8"	15', 10"	463	874	26861	$ 84,425.00
350814	1	816LNT-34 WING	34' 11"	14F, 14R	32F, 34R	Tandem	16' 0"	15' 9"	534	887	30975	$ 94,100.00
350815	1	816LNT-38 WING	39' 0"	16F, 14R	36F, 38R	Tandem	16' 0"	17' 9"	566	842	32825	$ 98,700.00

MODEL 862NT 30" X 5/16" PLAIN BLADES / SPRING CUSHION GANG

ORDER NUMBER	QTY	MODEL NUMBER	CUTTIING WIDTH	NO. OF BEARINGS	NO. OF BLADES	AXLE	TRANSPORT WIDTH	TRANSPORT HEIGHT	WEIGHT (LBS) PER BLADE	WEIGHT (LBS) PER FOOT	APPROX WT. (LBS)	SUGGESTED LIST PRICE USD
245348	1	862NT-14	14' 4"	6F, 6R	12F, 14R	Tandem	15' 11"	7' 0"	507	920	13183	$ 40,780.00
109124	1	862NT-16	16' 4"	6F, 6R	14F, 16R	Tandem	18' 5"	7' 0"	457	840	13716	$ 42,225.00
109018	1	862NT-22 WING	22' 6"	10F, 10R	20F, 22R	Tandem	13' 11"	12' 10"	643	1200	27011	$ 82,340.00
243273	1	862NT-26 WING	26' 8"	12F, 10R	24F, 26R	Tandem	14' 10"	14' 2"	579	1085	28939	$ 86,025.00
243200	1	862NT-30 WING	30' 9"	14F, 12R	28F, 30R	Tandem	17' 2"	15' 10"	554	1045	32133	$ 93,925.00
244648	1	862LNT-34 WING	34' 11"	16F, 14R	32F, 34R	Tandem	16' 0"	15' 9"	571	1080	37711	$ 111,225.00
245173	1	862LNT-38 WING	39' 0"	18F, 16R	36F, 38R	Tandem	16' 0"	17' 9"	587	1113	43424	$ 117,215.00

(Blade and Optional Selections Continued on Next Page)

ALL PRICES SHOWN ARE F.O.B. WAHPETON, NORTH DAKOTA
WIL-RICH *RESERVES THE RIGHT TO CHANGE PRICES AND SPECIFICATIONS WITHOUT NOTICE.*

TANDEM DISC – MODEL 816NT & 862NT (Cont.)

GROUP 2 (REQUIRED) BLADE SELECTION FOR BASE UNIT

ORDER NUMBER	QTY	DESCRIPTION	APPROX WT. (LBS)	SUGGESTED LIST PRICE USD EA. BLADE
106021	1	Blade 30 x 5/16 Plain	65.8	IN BASE
108044	1	Blade 30 x 5/16 Notched	60.5	$ 14.00 ILOS

TIRE OPTION (ILOS)

TIRE GROUP (ILOS) 22 FT THROUGH 30 FT

ORDER NUMBER	QTY	DESCRIPTION	APPROX WT. (LBS)	SUGGESTED LIST PRICE USD EA. BLADE
IN BASE	1	Tire & Rim (8) (USED) 385/65 R22.5	2048	IN BASE
354534	1	Tire & Rim (8) (NEW) VF385/65 R22.5 (ILOS)	2224	$ 4,590.00 ILOS

TIRE GROUP (ILOS) 34 FT THROUGH 38 FT

ORDER NUMBER	QTY	DESCRIPTION	APPROX WT. (LBS)	SUGGESTED LIST PRICE USD EA. BLADE
IN BASE	1	Tire & Rim (4) (USED) 385/65 R22.5 10-Bolt & (4) (USED) 385/65 R22.5 8-Bolt	2048	IN BASE
354535	1	Tire & Rim (4) (NEW) VF385/65 R22.5 10-Bolt & (4) NEW) VF 385/65 R22.5 8-Bolt (ILOS)	2224	$ 4,590.00 ILOS

OPTIONAL ATTACHMENTS

ORDER NUMBER	QTY.	DESCRIPTION	APPROX. WT. (lbs.)	SUGGESTED LIST PRICE (Ea.)
SCRAPER OPTIONS				
107444-13R	1	Scraper RH for Bearing Standard	25	$ 75.00 ILOS
107444-13L	1	Scraper LH for Bearing Standard	25	$ 75.00 ILOS
108571	1	Scraper RH to clean Spool & Blade	8	$ 25.00 ILOS
108572	1	Scraper LH to clean Spool & Blade	8	$ 25.00 ILOS
352359	1	Scraper , Rotary LH *(Not for Leveling Blades)*	9	$ 132.00 ILOS
352360	1	Scraper , Rotary RH *(Not for Leveling Blades)*	9	$ 132.00 ILOS
BEARING OPTIONS				
357470	1	Guard, Bearing (one required for each bearing)	7.7	$ 36.00
104884	1	Washer, Bearing Guard (two required for each bearing)	0.41	$ 3.00
MISCELLANEOUS OPTIONS				
244654	1	Single Point Depth Control	49	$ 576.00
354554	1	Cat Hitch — Cat V for 2-3/4" diameter pin (ILOS)	Add 36	$ 102.00 ILOS
356740	1	Hydraulic Leveler (non-folding tandem) - ILOS *(Factory installed only)*	85	$ 987.00
356738	1	Hydraulic Leveler (folding tandem) - ILOS *(Factory installed only)*	85	$ 987.00
350194	1	Rear Hitch – Rigid Cat (12'—18' models) for 1" Dia. Pin	112	$ 440.00
350195	1	Rear Hitch – Rigid Clevis (12'—18' models) for 1" Dia. Pin	129	$ 440.00
350192	1	Rear Hitch – Rigid Cat (24'—38' models) for 1" Dia. Pin	120	$ 440.00
350193	1	Rear Hitch – Rigid Clevis (24'—38' models) for 1" Dia. Pin	137	$ 440.00
238778	1	Rear Hydraulic Extension Package (18' & smaller)	27	$ 390.00
247597	1	Rear Hydraulic Extension Package (20' & larger)	50	$ 390.00
236099	1	Safety Light Extension	3	$ 170.00
10-Bolt HUB OPTION for Model 862NT 26 & 30 Ft. *(use on Main Frames Only)*				
351707	1	10-Bolt Hub — (USED) 385/65 R22.5 Set of 4 (ILOS of 8-Bolt)	Add 256	$ 2,020.00 ILOS
354542	1	10-Bolt Hub — (NEW) VF385/65 R22.5 Set of 4 (ILOS of 8-Bolt)	Add 344	$ 4,049.00 ILOS
10-Bolt HUB OPTION for Model 816NT 34 & 38 Ft. *(use on Wings Only)*				
356746	1	10-Bolt Hub— (Used 385/65 RR22.5 Set of 4 (ILOS of 8-Bolt)	Add 256	$ 2,020.00 ILOS
10-Bolt HUB OPTION for Model 862NT 34 & 38 Ft. *(use on Wings Only)*				
356745	1	10-Bolt Hub— (USED) 385/65 R22.5 Set of 4 (ILOS of 8-Bolt)	Add 256	$ 2,020.00 ILOS

(Optional Harrow/Basket on Next Page)

ALL PRICES SHOWN ARE F.O.B. WAHPETON, NORTH DAKOTA
WIL-RICH *RESERVES THE RIGHT TO CHANGE PRICES AND SPECIFICATIONS WITHOUT NOTICE.*
Printed in USA

TANDEM DISC – MODEL 816NT & 862NT (Cont.)

3-BAR COIL TINE HARROW

HARROW
- 3-bar design
- 12 in. between tooth bars
- Tubular tooth bars
- 5 tine angle adjustment
- Harrows width 4-ft., 6 ft. and 8 ft.
- Tines swing forward when backing up

TINES
- Double coil tines with three coils
  - 5/8 in. diameter spring wire by 26 in. long and 12 in. spacing between tines
  - Tine spacing pattern of 4 in.

MOUNTING ARMS
- Mounting arm 3 x 4 in. tubing
- Four leveling adjustments



ORDER NUMBER	QTY	MODEL NUMBER	OVERLAP EA. SIDE	HARROW SIZE 4' 0"	HARROW SIZE 6' 0'	HARROW SIZE 8' 0"	12' TINE EXTENSION	MOUNT ARM	APPROX WT. (LBS)	SUGGESTED LIST PRICE USD
245875	1	3HAWD 14 FT	10.0"	—	—	2	—	2	1264	$ 3,944.00
245876	1	3HAWD 16 FT	10.0"	—	3	—	—	3	1500	$ 4,747.00
245878	1	3HAWD 22 FT	9.0"	—	—	3	—	6	2245	$ 7,082.00
245880	1	3HAWD 26 FT	8.0"	—	2	2	—	6	2453	$ 7,832.00
245881	1	3HAWD 30 FT	7.5"	—	—	4	—	6	2653	$ 8,830.00
245883	1	3HAWD 34 FT	18.5"	—	5	1	—	9	3294	$ 11,363.00
245884	1	3HAWD 38 FT	18.0"	—	3	3	—	9	3461	$ 11,688.00

2-BAR COIL TINE HARROW with FLAT BAR BASKET

HARROW
- 2-bar design
- 12 in. between tooth bars
- Tubular tooth bars
- 5 tine angle adjustment
- Harrows width 4-ft., 6 ft. and 8 ft.
- Tines swing forward when backing up

TINES
- Double coil tines with three coils
  - 5/8 in. diameter spring wire by 26 in. long and 12 in. spacing between tines

MOUNTING ARMS
- Mounting arm 3 x 4 in. tubing
- Four leveling adjustments

FLAT BAR BASKET
- 8 blades 1/4"x1-1/4" flat bar
- 13" diameter basket
- Triple lip sealed flanged bearings with lube fitting
- Basket width 4-1/2 ft., 6 ft. and 7-1/2 ft.



ORDER NUMBER	QTY	MODEL NUMBER	OVERLAP EA. SIDE	HARROW SIZE 4' 0"	HARROW SIZE 6' 0'	HARROW SIZE 8' 0"	12' TINE EXTENSION	MOUNT ARM	APPROX WT. (LBS)	SUGGESTED LIST PRICE USD
246306	1	2HAHD/FB 14 FT	10.0"	—	—	2	—	2	1475	$ 5,528.00
246307	1	2HAHD/FB 16 FT	10.0"	—	3	—	—	3	1824	$ 7,236.00
246309	1	2HAHD/FB 22 FT	9.0"	—	—	3	—	6	2724	$ 10,408.00
246311	1	2HAHD/FB 26 FT	8.0"	—	2	2	—	6	3068	$ 11,989.00
246312	1	2HAHD/FB 30 FT	7.5"	—	—	4	—	6	3299	$ 12,645.00
246314	1	2HAHD/FB 34 FT	18.5"	—	5	1	—	9	4209	$ 16,716.00
246315	1	2HAHD/FB 38 FT	18.0"	—	3	3	—	9	4407	$ 17,347.00

This page was intentionally left blank

ALL PRICES SHOWN ARE F.O.B. WAHPETON, NORTH DAKOTA
WIL-RICH *RESERVES THE RIGHT TO CHANGE PRICES AND SPECIFICATIONS WITHOUT NOTICE.*
Printed in USA